ELSEVIER

Toxicology 128 (1998) 239–240

TOXICOLOGY

Volume contents

Volume 128 (1998)

The positive influence of a cholinergic–anticholinergic pretreatment and antidotal treatment on rats poisoned with supralethal doses of soman
The combination pretreatment enhances the efficacy of antidotes
J. Kassa, J. Fusek (Czech Republic) 1–7

Assessment of vinyl chloride-induced DNA damage in lymphocytes of plastic industry workers using a single-cell gel electrophoresis technique
The applied technique reveals DNA damage at sub-TLV exposures
W.M. Awara, S.H. El-Nabi, M. El-Gohary (Egypt) 9–16

Heptachlor and the mitogen-activated protein kinase module in human lymphocytes
MAP kinases allow hepatochlor to modulate events in human lymphocytes
L.F. Chuang, R.Y. Chuang (USA) 17–23

Changes in the defense against free radicals in the liver and plasma of the dog during hypoxia and/or halothane anaesthesia
Respiratory hypoxia increases oxidative stress
E.A. Bassiouni, M.M. Abo-Ollo, M.H. Helmy, S. Ismail, M.I. Ramadan (Egypt) 25–34

Comparison of the chronic toxicity of piroxantrone, losoxantrone and doxorubicin in spontaneously hypertensive rats
Oxidative damage in the tissues may be mediated by Fe(III)-drug complexes
E.H. Herman, J. Zhang, B.B. Hasinoff, K.T. Tran, D.P. Chadwick, J.R. Clark, Jr., V.J. Ferrans (USA, Canada). 35–52

Temporal variation in hepatotoxicity and metabolism of acetaminophen in mice
Increased toxicity in the evening may be due to more rapid depletion of GSH
Y.C. Kim, S.J. Lee (South Korea) 53–61

Influence of glycine on the damage induced in isolated perfused rat liver by five hepatotoxic agents
12 mM glycine differentially reverts some toxic actions in a 2 hrs experiment
M. Deters, C.-P. Siegers, O. Strubelt (Germany) 63–72

Poisoning with methanol and ethylene glycol: ^{1}H NMR spectroscopy as an effective clinical tool for diagnosis and quantification.
The analytical procedure allows qualitative and quantitative measurement of poisons in humans
A. Wahl, N. Azaroual, M. Imbenotte, D. Mathieu, G. Forzy, B. Cartigny, G. Vermeersch, M. Lhermitte (France). 73–81

Dimethyldithiocarbamate inhibits in vitro activation of primary human CD4^{+} T lymphocytes
A potent immunosuppressive effect was found
D.W. Pyatt, J. Gruntmeir, W.S. Stillman, R.D. Irons (USA) 83–90

Lysosomal glycosaminoglycan storage as induced by dicationic amphiphilic drugs: Investigation into the mechanisms underlying the slow reversibility
Persisting non-degradable dermatansulphate-drug complexes may prolong storage
F. Bispinck, J. Fischer, R. Lüllmann-Rauch, B. von Witzendorff (Germany). 91–100

Norcocaine is a potent modulator of haemodynamic responses, plasma catecholamines and cardiac hormone release in conscious rats
Norcocaine decreases heart rate but increases atrial peptides and plasma adrenaline
J. Mahlakaarto, H. Ruskoaho, P. Huttunen, E. MacDonald, M. Pasanen (Finland) 101–111

Influence of vitamin E succinate on retinal cell survival
The effects on various cellular functions are studied in cultures
A.C. Rego, M.S. Santos, M.T. Proença, C.R. Oliveira (Portugal) 113–124
A dietary toxicity/oncogenicity study of tributyl phosphate in the rat
Hyperplastic and neoplastic bladder lesions, the toxic effect, were probably caused by a non-genotic mechanism
C.S. Auletta, M.L. Weiner, W.R. Richter (USA) 125–134
A dietary oncogenicity study of tributyl phosphate in the CD-1 mouse
Male mice exposed to the highest dose had hepatocellular ardenomas
C.S. Auletta, L.A. Kotkoskie, T. Saulog, W.R. Richter (USA) 135–141
Cadmium induces apoptosis differentially on immune system cell lines
Cadmium induced apoptosis at varied concentrations in different cell lines
G.T. Tsangaris, F. Tzortzatou-Stathopoulou (Greece) 143–150
Methylcholanthrene causes increased thymocyte apoptosis
Methylcholathrene increases thymocyte apoptosis via a glucocorticoid hormone- and aryl hydrocarbon receptor-independent mechanism
C.T. Lutz, G. Browne, C.R. Petzold (USA) 151–167

Effects of vitamin E and/or C on reactive oxygen species-related lead toxicity in the rat sperm
The vitamins protect spermatocytes from damage of their functions
P.-C. Hsu, M.-Y. Liu, C.-C. Hsu, L.-Y. Chen, Y. Leon Guo (Taiwan, ROC) 169–179
Antioxidant effects of *N*-acetylcysteine and succimer in red blood cells from lead-exposed rats
Oxidative stress induced in red blood cells is reversible
H. Gürer, H. Özgünes, R. Neal, D.R. Spitz, N. Erçal (USA, Turkey). 181–189
Effects of lead on rat kidney and liver: GST expression and oxidative stress
Changes in subcellular distribution and gene expression of glutathione S-transferase in lead exposed kidney appear to be not oxidant stress-dependent
D.A. Daggett, T.D. Oberley, S.A. Nelson, L.S. Wright, S.E. Kornguth, F.L. Siegel (USA) 191–206
The actions of the H_2-blocker cimetidine on the toxicity and biotransformation of the phosphorothioate insecticide parathion
Cimetidine likely affects p-450 mediated formation of paraoxon from parathion
A.A. Agyeman, L.G. Sultatos (USA). 207–218
Human IgE production in hu-PBL-SCID mice injected with birch pollen and diesel exhaust particles
Hu-PBL-SCID mice had increased in human IgE levels after stimulation by birch pollen
T.E. Steinsvik, H. Ormstad, P.I. Gaarder, I.S. Aaberge, U. Bjønness, M. Løvik (Norway). 219–230

Book reviews. 231

Author index. 233
Subject index. 235–238
Volume contents. 239–240